

SECTION 06 10 00

ROUGH CARPENTRY

PART 1 GENERAL

1.01 GENERAL DESIGN GUIDELINES

- A. In general work in this section is not specified in other sections and is not exposed to normal view.
- B. Wood frame construction is not allowed in DPS facilities.
- C. **Metal strap backing is prohibited.** Fire treated lumber or plywood is required for all in-wall backing.
- D. Provide continuous fire-retardant treated ¾" plywood or lumber blocking at all mounting locations including but not limited to:
 - 1. Handrails and guardrails
 - 2. Door stops
 - 3. Hold opens
 - 4. Grab bars
 - 5. Architectural specialties
 - 6. Plumbing fixtures
 - 7. Toilet accessories
 - 8. Luminaires (wall mounted)
 - 9. Surface mounted devices
 - 10. Casework and shelving (wall and base cabinets at the top of each unit)
 - 11. Industrial shelving
 - 12. Markerboards and tackboards
 - 13. Projection screens
 - 14. Wall-mounted door holders (magnetic and mechanical)
 - 15. Miscellaneous equipment
 - 16. All other surface-mounted items as required for proper anchorage.
 - 17. Coordinate with the library furnishings planner and supplier (separate contract through DPS) so that blocking is installed by the General Contractor for all shelving and custom casework provided under the Library Furnishings Contract.
- E. Indicate on the drawings the mounting heights for projection screen blocking.

END OF SECTION 06 10 00