

VALVE BOX LID WITH "Q.C."

10" ROUND VALVE BOX
3" FROM BOTTOM OF LID
TO TOP OF QC

NON-WOVEN
FILTER FABRIC

RB 44 LRC QUICK COUPLER VALVE

REBAR OR REDWOOD STAKE
WITH 2 S.S GEAR CLAMPS

1" BRASS NIPPLE, LENGTH
AS REQUIRED

1 CU. FT. CRUSHED GRAVEL


1 FXF BRASS 90

1x12 NIPPLE PVC SCH 80

SCH 80 FXF 90 2 each

1x2 SCH 80 NIPPLE 2 each

CL 200 MAINLINE



QUICK COUPLER VALVE DETAIL

NOTE: NO CLOSE NIPPLES
ON ASSEMBLIES

NOT TO SCALE

NO.	DATE	DESCRIPTION OF REVISION	AUTHORITY	MADE	APPR'D.
DENVER PUBLIC SCHOOLS DEPARTMENT OF FACILITIES MANAGEMENT SCHOOL DISTRICT NO. 1 SITE NO.			DENVER PUBLIC SCHOOLS DEPARTMENT OF FACILITIES MANAGEMENT DENVER, CO		
Irrigation Detail					
DENVER PUBLIC SCHOOLS DEPARTMENT OF FACILITIES MANAGEMENT APPROVED CONTRACT DOCUMENT NOT TO SCALE			DENVER PUBLIC SCHOOLS DEPARTMENT OF FACILITIES MANAGEMENT 02/18/03 DENVER, CO		
Denver Public Schools 2800 W. 7th Ave Denver Co 303 575-4125			DWG. NO. 02810-10		SHEET: 10 OF: 10